



SunCrest Stone™

Catalog 2020 / 2021

Offering an Impressive Line of

STONE VENEERS

139 SE Benjamin H Hill Drive
Fitzgerald, GA 31750

www.suncreststone.com



SunCrest Stone™

Offering impressive lines of stone veneer since 2003, SunCrest Stone has one goal in mind - the satisfaction of our customers. From the infinite detailing in the design of the stone to the finished packaged product, all is done with the customer in mind.

Utilizing computer controlled processes and state of the art equipment, SunCrest Stone is produced by combining Portland cement, mineral oxide colors, and lightweight aggregates. Our products have been tested and approved by the International Code Council Evaluation Service (ICC-ES) and complies with the 2006 International Building Code (IBC) and 2006 International Residential Code (IRC) and maintains this approval by quarterly testing and annual certifications. This approval and certification provides architects, code officials, installers and homeowners with the assurance our products meet the extensive testing, quality process controls and specific installation requirements and allows SunCrest Stone to provide the highest quality products at affordable prices.




We offer a variety of styles and colors that will enhance any project whether commercial or residential. Because our stone is extremely light weight and easy to install, many are making SunCrest Stone the natural choice for their stone veneer applications. In addition to residential markets, major projects of SunCrest Stone and our customers include (but not limited to) multi-family apartment complexes, hotels, motels, student housing, nationally recognized food chains and other commercial applications

Due to our expanded market areas of our distributors and dealers and the hard work and dedication of our employees, SunCrest Stone is becoming the company of choice for residential and commercial projects. Our sales and customer service staff complete what you, the customer, have always looked for in a stone veneer company.

We are and will always be dedicated to our first and main goal-providing our customers with a quality product and being assured of their satisfaction.

Contact us at (229) 567-2649 or logon to our website at www.SunCrestStone.com for additional information. See why more and more customers are choosing SunCrest Stone.





Oconee Blend Rubble



Rushmore/Wheat Stack Blend



Oconee Blend Ledge



**SunCrest
Stone**™



*Offering an Impressive
Line of Stone Veneers...*

Madison County
Country Ledge



Madison County Stack



Wheat Stack



Pocono
Stack


*...Unique Applications,
and Creative Designs*



SunCrest Stone™

Oconee Blend Stack

Merlot Stack



Madison County Stack



Stack


Individual Stack stones vary in size from 2" and 4" in height, 4" to 16" in length and 1" to 2.5" in thickness. Stones are blended approximately 40% w/2" and 60% w/4" (height). Stack is packaged 96 Sq. Ft. to the pallet/skid and 12 Sq. Ft. per box. (Eight boxes per skid)



BANKS COUNTY



CAROLINA TAN




COLONIAL BROWN




NOCO




FLINT RIVER




GRAY FALLS




HONEY CREEK



MADISON COUNTY



MERLOT



OCONEE BLEND



POCONO



RAINIER



RUSHMORE



SIERRA



WHEAT



Colonial Brown Ledge

Madison County Ledge

Ranier Ledge



Ledge


Individual Ledge stones vary in size from 2" in height, 4" to 16" in length and 1" to 2.625" in thickness.
Ledge is packaged 88 Sq. Ft. to the pallet/skid and 11 Sq. Ft. per box. (Eight boxes per skid)



BANKS COUNTY



CAROLINA TAN




COLONIAL BROWN




WHEAT



FLINT RIVER



GRAY FALLS



HONEY CREEK



MADISON COUNTY



MERLOT




OCONEE BLEND



POCONO



RAINIER




RUSHMORE



SIERRA



Merlot Country Ledge




Oconee Blend
Country Ledge



Wheat
Country
Ledge

Country Ledge

Individual Country Ledge stones vary in size from 2" & 4" in height, 6" to 16" in length and 1" to 2.625" in thickness. Stones are blended approximately 70% w/2" and 30% w/4" in height. Country Ledge is packaged 96 Sq. Ft. to the pallet/skid and 12 Sq. Ft. per box. (Eight boxes per skid)



BANKS COUNTY




CAROLINA TAN




COLONIAL BROWN



WHEAT



FLINT RIVER




GRAY FALLS




HONEY CREEK




MADISON COUNTY



MERLOT




OCONEE BLEND



POCONO



RAINIER



RUSHMORE




SIERRA



Banks County Rubble

Oconee
Blend
Rubble



Honey Creek Rubble

Rubble

Individual Rubble stones vary in size from 2" to 10" in height, 4" to 16" in length and 1" to 2" in thickness. Rubble is packaged 112 Sq. Ft. to the pallet/skid and 14 Sq. Ft. per box. (Eight boxes per skid)



BANKS COUNTY



CAROLINA TAN



COLONIAL BROWN




WHEAT



FLINT RIVER




GRAY FALLS




HONEY CREEK



MADISON COUNTY



MERLOT




OCONEE BLEND



POCONO



RAINIER



RUSHMORE



SIERRA



Ranier Splitface



Gray Falls Splitface



Banks County Splitface
with Banks County Country Ledge

Splitface

Individual Splitface stones vary in size from 4" to 12" in height, 6" to 18" in length and 1" to 2.5" in thickness. Splitface is packaged 96 Sq. Ft. to the pallet/skid and 12 Sq. Ft. per box. (Eight boxes per skid)




BANKS COUNTY



CAROLINA TAN



COLONIAL BROWN




WHEAT



FLINT RIVER



GRAY FALLS




HONEY CREEK



MADISON COUNTY



MERLOT



OCONEE BLEND



POCONO



RAINIER



RUSHMORE



SIERRA

Ashlar

Individual Ashlar stones vary in size from 4" to 12" in height, 4" to 16" in length and 1.5" to 2.5" in thickness. Ashlar is packaged 80 Sq. Ft. to the pallet/skid and 10 Sq. Ft. per box. (Eight boxes per skid)



MERLOT

Merlot Ashlar



Merlot Ashlar



Merlot Ashlar





BANKS COUNTY



HONEY CREEK



POCONO



Banks County Ashlar




**Banks County
& Honey Creek
Blend Ashlar**

**Banks
County
Ashlar**



Smokey Mountain River Rock

Individual River Rock stones vary in size from 1.5" to 12" in height, 2.625" to 10" in length and 1.75" to 2.625" in thickness. River Rock is packaged 80 Sq. Ft. to the pallet/skid and 10 Sq. Ft. per box. (Eight boxes per skid)



NOCO Stack



NOCO




NOCO has a timeless finish that's as unique as your next project. Such a look that it has been honed over decades. All our products are hand made in Georgia. Because it's all made by hand, our products simulate the uniqueness and imperfections of natural stone at a fraction of the cost.

Coastal Plains



HIWASSEE STACK

Desert Sun




DESERT SUN STACK



Colonial Brown Stack



Banks County Rubble



Oconee Blend
Country Ledge

Flint River Country Ledge



Accessories



Keystone (Center)
8" x 5" x 10" x 2³/₄"

Trim Stone
5¹/₂" x 8" x 2"



Row Loc
7¹/₂" x 15¹/₂" x 3¹/₂"



Hearthstone
18" x 19" x 1¹/₂"



Water Table-Window Sill Corner
3¹/₄" x 2³/₈" x 1⁷/₈" x 6¹/₂" x 10¹/₂"



Dark Gray

Creme


Light Gray

Tan

Brown



Light Block
6¹/₂" x 7¹/₂" x 1¹/₂"
Opening 4³/₈"



Hydrant Block
5¹/₂" x 8" x 1¹/₂"
Opening 1³/₈"



Outlet Block
6¹/₂" x 7¹/₂" x 1¹/₂"
Opening 4¹/₄" x 2³/₈"

Over-sized Light Block
12" x 7¹/₂" x 1¹/₂"
Opening 4³/₈"



Water Table/Window Sill
3¹/₄" x 2³/₈" x 1⁷/₈" x 23"

SunCrest Stone Products does not warrant hearthstones or any accessory item that is used in any area subject to foot traffic.



Bevel Column Cap

22" x 22" x 3"
28" x 28" x 3 1/2"
32" x 32" x 4"



Flat Wall Cap

12" x 18" x 1 1/2"



Stone Tower



Bevel Wall Cap

12" x 20" x 3"
16" x 20" x 3"



Corners

Available in all colors and profiles



Mantle Bracket

12" x 8 1/2" x 4"

LIMITED WARRANTY

SunCrest Stone Products offers a 50 year limited warranty on all its products when installed according to manufacturer's instructions and on structures conforming to local building codes. Warranty is limited to the original purchaser. Warranty is limited to repair or replacement of materials that are defective and does not include any labor charges.

Structure settlement, discoloration due to airborne contaminants or chemicals, normal weathering or oxidation is not covered by this warranty.

Contact SunCrest Stone Products for additional or complete warranty information.

INSTALLATION INSTRUCTIONS

Complete installation instructions may be found by visiting our website at www.SunCrestStone.com or by contacting us at (229) 567-2649



SunCrest Stone Products meets or exceeds all ICC acceptance criteria. See ICC-ES Evaluation Report No. 3088 at our website at www.SunCrestStone.com or www.icc-es.org



Intertek
SunCrest Stone
Veneer



SunCrest Stone™

(229) 567-2649

Visit us at
www.SunCrestStone.com





SunCrest Stone™

Colors seen in this catalog may vary from the actual colors due to photography and printing variances. Before making a selection we urge you to view the actual product sample.