

Spec-Brik Jumbo 8 high nominal
 Cold Forged Metal Frame
 Anchor Spacing: 24"vx16"h
 HJR Spacing: Non-Anchored courses



Spec-Brik Veneer Details




Drawing No. 7005

REVISIONS		REMARKS
MM/DD/YY		
1	12 /05 /19	Added Drawings
2	--/--/--	...
3	--/--/--	...
4	--/--/--	...
5	--/--/--	...

01
A

Veneer Anchor Spacing



Horizontal Joint Reinforcement Spacing

Spec-Brik (4" high nominal)
Anchor Placement: 24"vx16"h
HJR Spacing: 12"




Spec-Brik Veneer Details

Drawing No. 7005

REVISIONS		
MM/DD/YY	REMARKS	
1 12 / 05 / 19	Added Drawings	
2 -- / -- / --	...	
3 -- / -- / --	...	
4 -- / -- / --	...	
5 -- / -- / --	...	

02

A



Wall Assembly Shown without Veneer



Spec-Brik Veneer Details

Drawing No. 7005

REVISIONS		
	MM/DD/YY	REMARKS
1	12 /05 /19	Added Drawings
2	--/--/--	...
3	--/--/--	...
4	--/--/--	...
5	--/--/--	...